

KalaXY 1650

AUTOMATIC X-Y TRIMMER

- Automatic X/Y (cross X longitudinal Y) trimming with rotating blades from roll to sheets.
- Ideal to save time and gain efficiency in repetitive cutting jobs involving hours of manpower.
- Perfect for cutting many types of rolled media, such as paper, photo paper, vinyl, laminated substrates, encapsulated paper up to 250 μ (10 mil) thermal films on both sides (500 microns -20 mil total), light PVC banner, polyester films, polycarbonate and other.
- Cross blades are positioned manually to match the image size.
- Longitudinal trimming is programmed from the control and can be ran in 3 different modes.
- KalaXY comes with the same 3" self-locking shafts, used on Kala laminators in 65". The roll of laminated prints can be collected directly from the laminator and installed on the trimmer.
- As standard, KalaXY comes with 3 longitudinal blades (2 side blades, and one double blade). Additional single or double blades are available as an option.

Technical Specifications :

- **Maximum thickness of material** : 1 mm – 40 mil
- **Maximum working width** : 1650mm – 65"
- **Maximum diameter of roll of media** : 250 mm – 10".
- **Accuracy** : +/- 1 mm on the total length
- **Touchscreen control panel**
- **Self-sharpening blades**
- **Weight** : 150 kilos – 330 lbs
- **Operating speed** : up to 25 m/mn – 82 ft/mn.
- **Speed of cross trimming blade** : up to 120m/min-390 ft/mn.
- **Overall dimensions (L/W/H)** : 255 x 62 x 120cm – 100" x 24 1/2" x 47 1/4"
- **Electrical power requirements** : 110/230 V, 600/1200 W



CK

Document
imaging

by Charles Kieffer Group

Tél. +352 26 380 1 Fax +352 26 380 380
sales@ck-group.lu

2, rue Léon Laval - Z.A. Am Bann
L-3372 Leudelange

ck-group.lu



MADE IN EUROPE